

|   | Type | L # | Hits  | Search Text                | DBs                                                                              |
|---|------|-----|-------|----------------------------|----------------------------------------------------------------------------------|
| 1 | BRS  | L1  | 25    | brickell.in. and ernie.in. | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 2 | BRS  | L2  | 27015 | intel.asn.                 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 3 | BRS  | L3  | 6     | L1 and L2                  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|   | Time Stamp          |
|---|---------------------|
| 1 | 2006/01/18<br>19:04 |
| 2 | 2006/01/18<br>19:04 |
| 3 | 2006/01/18<br>19:04 |

|   | Type | L # | Hits | Search Text   | DBs                                                                              |
|---|------|-----|------|---------------|----------------------------------------------------------------------------------|
| 4 | BRS  | L4  | 311  | 713/183.ccls. | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 5 | BRS  | L5  | 193  | 713/184.ccls. | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 6 | BRS  | L6  | 520  | 713/186.ccls. | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|   | Time Stamp          |
|---|---------------------|
| 4 | 2006/01/18<br>19:04 |
| 5 | 2006/01/18<br>19:05 |
| 6 | 2006/01/18<br>19:05 |

|   | Type | L # | Hits | Search Text                                     | DBs                                                                              |
|---|------|-----|------|-------------------------------------------------|----------------------------------------------------------------------------------|
| 7 | BRS  | L7  | 319  | 726/3.ccls.                                     | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 8 | BRS  | L8  | 466  | 726/5.ccls.                                     | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 9 | BRS  | L9  | 23   | L4 and "passwords" and<br>"register" and "hash" | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|   | Time Stamp          |
|---|---------------------|
| 7 | 2006/01/18<br>19:05 |
| 8 | 2006/01/18<br>19:05 |
| 9 | 2006/01/18<br>19:06 |

|    | Type | L # | Hits | Search Text                                                         | DBs                                                                              |
|----|------|-----|------|---------------------------------------------------------------------|----------------------------------------------------------------------------------|
| 10 | BRS  | L10 | 6    | "strong password" and<br>"cryptographic hash"                       | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 11 | BRS  | L11 | 1    | L9 and L10                                                          | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 12 | BRS  | L12 | 1043 | (questions with answers)<br>same (passphrase or<br>password or PIN) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Time Stamp          |
|----|---------------------|
| 10 | 2006/01/18<br>19:06 |
| 11 | 2006/01/18<br>19:06 |
| 12 | 2006/01/18<br>19:07 |



|    | Type | L # | Hits | Search Text                                                          | DBs                                                                              |
|----|------|-----|------|----------------------------------------------------------------------|----------------------------------------------------------------------------------|
| 13 | BRS  | L13 | 141  | (questions with answers)<br>near3 (passphrase or<br>password or PIN) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 14 | BRS  | L14 | 184  | (questions with answers)<br>near4 (passphrase or<br>password or PIN) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 15 | BRS  | L15 | 218  | (questions with answers)<br>near5 (passphrase or<br>password or PIN) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Time Stamp          |
|----|---------------------|
| 13 | 2006/01/18<br>19:07 |
| 14 | 2006/01/18<br>19:07 |
| 15 | 2006/01/18<br>19:07 |

|    | Type | L # | Hits | Search Text                                | DBs                                                                              |
|----|------|-----|------|--------------------------------------------|----------------------------------------------------------------------------------|
| 16 | BRS  | L16 | 55   | (questions with answers)<br>same (hash\$3) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 17 | BRS  | L17 | 10   | L16 and L12                                | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 18 | BRS  | L18 | 0    | L17 and L11                                | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Time Stamp          |
|----|---------------------|
| 16 | 2006/01/18<br>19:08 |
| 17 | 2006/01/18<br>19:08 |
| 18 | 2006/01/18<br>19:08 |

|    | Type | L # | Hits | Search Text               | DBs                                                                              |
|----|------|-----|------|---------------------------|----------------------------------------------------------------------------------|
| 19 | BRS  | L19 | 0    | L17 and L10               | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 20 | BRS  | L20 | 0    | L17 and "strong password" | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Time Stamp          |
|----|---------------------|
| 19 | 2006/01/18<br>19:09 |
| 20 | 2006/01/18<br>19:09 |

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

password, hash, strong password, remote sen

[Advanced Search](#)  
[Preferences](#)

**Web Results 1 - 10** of about 171 for **password, hash, strong password, remote server "questions with ans**

Tip: Save time by hitting the return key instead of clicking on "search"

#### ! Aware: Useful Tech & Info: Encryption

ZipCracker - Cracks **password** protected zip archives with brute force(TM) {GPL}  
... ssh-1.2.27nb1 - Secure shell client and **server** (**remote** login program) (At ...  
[www.rocketaware.com/data/encrypt/](http://www.rocketaware.com/data/encrypt/) - 75k - [Cached](#) - [Similar pages](#)

#### Questions and Answers Related to Current FAQs

the difference between a message authentication code and one way **hash** ... Gee,  
like chipmunk's "Current Top-Rated FAQ" (6/27/03), I hope my **password** is ...  
[www.faqs.org/qa/related3.html](http://www.faqs.org/qa/related3.html) - 211k - [Cached](#) - [Similar pages](#)

#### Linux Security HOWTO

Note: If you have a **server** machine, and you set up a boot **password**, your machine  
will not ... it'll return a cryptographically **strong hash** of what there is. ...  
[www.faqs.org/docs/Linux-HOWTO/Security-HOWTO.html](http://www.faqs.org/docs/Linux-HOWTO/Security-HOWTO.html) - 174k - [Cached](#) - [Similar pages](#)  
[ [More results from www.faqs.org](#) ]

#### SY0-101 Braindumps Security+ - MCSEBraindumps

... C. Length of the asymmetric **hash**. ... turned off until needed B. Insists on **strong**  
authentication before ... a: A. Private key B. Public key C. **Password** D. Kerberos ...  
[www.mcsebraindumps.com/index.cfm?pageid=2&brand=Compitia&code=SY0-101&dumpid=17880](http://www.mcsebraindumps.com/index.cfm?pageid=2&brand=Compitia&code=SY0-101&dumpid=17880) - 101k -  
Supplemental Result - [Cached](#) - [Similar pages](#)

#### Web site frequently asked questions

... of this site who state that programs implementing **strong** encryption may ... 4 Free proxy  
list filter is a **hash** code of ... files; (2003-05-29) I need a **password** and a ...  
[law.freebox.ru/ProxyXMLRPCServer.html](http://law.freebox.ru/ProxyXMLRPCServer.html) - 80k - Supplemental Result - [Cached](#) - [Similar pages](#)

#### Most Urgent!!! in C#, VB.NET, ASP.NET

Windows Authentication is trusted because the username and **password** are checked  
with the Active Directory, the SQL **Server** authentication is untrusted, ...  
[www.dotnetspider.com/qa/Question3036.aspx](http://www.dotnetspider.com/qa/Question3036.aspx) - 102k - [Cached](#) - [Similar pages](#)

#### [PDF] A Virtual Course on Network Security

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
cessing this account; using standard username and **password** authentication or by  
... rity course, hosted by a web **server**, a news **server**, and SSH servers. ...  
[proceedings.informingscience.org/IS2003Proceedings/docs/103Bergs.pdf](http://proceedings.informingscience.org/IS2003Proceedings/docs/103Bergs.pdf) - [Similar pages](#)

#### [PDF] Linux Security HOWTO

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Note: If you have a **server** machine, and you set up a boot **password**, ... **strong hash**  
of what there is. This isn't as secure, but it's enough for most ...  
[www.ibiblio.org/pub/Linux/docs/HOWTO/other-formats/pdf/Security-HOWTO.pdf](http://www.ibiblio.org/pub/Linux/docs/HOWTO/other-formats/pdf/Security-HOWTO.pdf) - [Similar pages](#)

#### CCP14 Homepage - Single Crystal and Powder Diffraction - CCP14 ...

CVS: 2.9.3.1 Setting up the **server** for **password** authentication ... a (non-replayable) **hash** of the POP **password** and of a challenge sent by the POP **server**. ...

www.ccp14.ac.uk/ccp14admin/ security/security\_software\_links.htm - 513k - [Cached](#) - [Similar pages](#)

[\[PDF\] Linux Security HOWTO](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... use your network, building firewalls, using **strong** encryption, and ... sk and as such a BIOS **password** cannot be ... floppy drives and some require **passwords** to access ...

www.linux-es.org/docs/HOWTO/ other-formats/pdf/Security-HOWTO.pdf - Supplemental Result - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google

Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

password, hash, strong password, re [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google